

# TRU PENDANT HORIZONTAL

Roberto Paoli

Horizontal and vertical pendant lamp with double linear LED source.

Body in extruded aluminium. Heads in injection molded blended polymeric material, with diffusers in opal metacrylate. Structure painted in matt white, matt black and titan grey. Horizontal version available with uplight and downlight flood, or total up and total down. Dimmable.



# LED DOWN+DOWN 3000K

## LAMPING

|                   |  |
|-------------------|--|
| Source            | linear LED   |
| Total power       | 2x41W  |
| Emission          | down+down  |
| Switching         | dimmable, push on board                              |
| Tension           | 110/240V   |
| Color temperature | 3000K  |
| Luminous flux     | 2 x 4080lm   |
| Typ cri           | 83   |
| Energy class      | A+   |
| Materials         | aluminium + PC                                       |
| Notes             | metal cable lenght 3m, electrical cable<br>length 5m |


## Codes

|            |                                   |
|------------|-----------------------------------|
| TRU LNN 5C | Structure/Diffuser<br>black/white |
| TRU LWW 5C | white/white                       |
| TRU LDD 5C | titan grey/white                  |

## PACKAGE

|            |                                   |
|------------|-----------------------------------|
| Package 01 | 28x26x20 cm / Gross weight: 8 Kg  |
| Package 02 | 22x17x191 cm / Gross weight: 4 Kg |

## Certificazioni



# LED DOWN+DOWN 2700K

## LAMPING

|                          |  |
|--------------------------|--|
| <b>Source</b>            | linear LED   |
| <b>Total power</b>       | 2x41W  |
| <b>Emission</b>          | down+down  |
| <b>Switching</b>         | dimmable, push on board                              |
| <b>Tension</b>           | 110/240V   |
| <b>Color temperature</b> | 2700K  |
| <b>Luminous flux</b>     | 2 x 4080lm   |
| <b>Typ cri</b>           | 83   |
| <b>Energy class</b>      | A+   |
| <b>Materials</b>         | aluminium + PC                                       |
| <b>Notes</b>             | metal cable lenght 3m, electrical cable<br>length 5m |


## Codes

|                   |  |
|-------------------|--|
| <b>TRU LNN 57</b> | <i>Structure/Diffuser</i><br>black/white |
| <b>TRU LWW 57</b> | white/white                              |
| <b>TRU LDD 57</b> | titan grey/white                         |

## PACKAGE

|                   |                                   |
|-------------------|-----------------------------------|
| <b>Package 01</b> | 28x26x20 cm / Gross weight: 8 Kg  |
| <b>Package 02</b> | 22x17x191 cm / Gross weight: 4 Kg |

## Certificazioni



# LED UP+DOWN 3000K

## LAMPING

|                          |   |
|--------------------------|---|
| <b>Source</b>            | linear LED  |
| <b>Total power</b>       | 2x41W   |
| <b>Emission</b>          | up + down   |
| <b>Switching</b>         | dimmable, push on board                           |
| <b>Tension</b>           | 110/240V  |
| <b>Color temperature</b> | 3000K   |
| <b>Luminous flux</b>     | 2 x 4080lm  |
| <b>Typ cri</b>           | 83  |
| <b>Energy class</b>      | A+  |
| <b>Materials</b>         | aluminium + PC                                    |
| <b>Notes</b>             | metal cable lenght 3m, electrical cable lenght 5m |


## Codes

|                   |   |
|-------------------|---|
| <b>TRU LNN 5A</b> | <i>Structure/Diffuser</i><br>black/white      |
| <b>TRU LWW 5A</b> | <i>Structure/Diffuser</i><br>white/white      |
| <b>TRU LDD 5A</b> | <i>Structure/Diffuser</i><br>titan grey/white |

## PACKAGE

|                   |                                   |
|-------------------|-----------------------------------|
| <b>Package 01</b> | 28x26x20 cm / Gross weight: 8 Kg  |
| <b>Package 02</b> | 22x17x191 cm / Gross weight: 4 Kg |

## Certificazioni



# LED UP+DOWN 2700K

## LAMPING

|                          |   |
|--------------------------|---|
| <b>Source</b>            | linear LED  |
| <b>Total power</b>       | 2x41W   |
| <b>Emission</b>          | up + down   |
| <b>Switching</b>         | dimmable, push on board                           |
| <b>Tension</b>           | 110/240V  |
| <b>Color temperature</b> | 2700K   |
| <b>Luminous flux</b>     | 2 x 4080lm  |
| <b>Typ cri</b>           | 83  |
| <b>Energy class</b>      | A+  |
| <b>Materials</b>         | aluminium + PC                                    |
| <b>Notes</b>             | metal cable lenght 3m, electrical cable lenght 5m |


## Codes

|                   |                                   |
|-------------------|-----------------------------------|
| <b>TRU LNN 55</b> | Structure/Diffuser<br>black/white |
| <b>TRU LWW 55</b> | white/white                       |
| <b>TRU LDD 55</b> | titan grey/white                  |

## PACKAGE

|                   |                                   |
|-------------------|-----------------------------------|
| <b>Package 01</b> | 28x26x20 cm / Gross weight: 8 Kg  |
| <b>Package 02</b> | 22x17x191 cm / Gross weight: 4 Kg |

## Certificazioni



# LED UP+UP 3000K

## LAMPING

|                          |  |
|--------------------------|--|
| <b>Source</b>            | linear LED   |
| <b>Total power</b>       | 2x41W  |
| <b>Emission</b>          | up + up  |
| <b>Switching</b>         | dimmable, push on board                              |
| <b>Tension</b>           | 110/240V   |
| <b>Color temperature</b> | 3000K  |
| <b>Luminous flux</b>     | 2 x 4080lm   |
| <b>Typ cri</b>           | 83   |
| <b>Energy class</b>      | A+   |
| <b>Materials</b>         | aluminium + PC                                       |
| <b>Notes</b>             | metal cable lenght 3m, electrical cable<br>length 5m |


## Codes

|                   |                                   |
|-------------------|-----------------------------------|
| <b>TRU LNN 5B</b> | Structure/Diffuser<br>black/white |
| <b>TRU LWW 5B</b> | white/white                       |
| <b>TRU LDD 5B</b> | titan grey/white                  |

## PACKAGE

|                   |                                   |
|-------------------|-----------------------------------|
| <b>Package 01</b> | 28x26x20 cm / Gross weight: 8 Kg  |
| <b>Package 02</b> | 22x17x191 cm / Gross weight: 4 Kg |

## Certificazioni



# LED UP+UP 2700K

## LAMPING

|                          |   |
|--------------------------|---|
| <b>Source</b>            | linear LED  |
| <b>Total power</b>       | 2x41W   |
| <b>Emission</b>          | up + up   |
| <b>Switching</b>         | dimmable, push on board                           |
| <b>Tension</b>           | 110/240V  |
| <b>Color temperature</b> | 2700K   |
| <b>Luminous flux</b>     | 2 x 4080lm  |
| <b>Typ cri</b>           | 83  |
| <b>Energy class</b>      | A+  |
| <b>Materials</b>         | aluminium + PC                                    |
| <b>Notes</b>             | metal cable lenght 3m, electrical cable lenght 5m |

## Codes

|                   |  |
|-------------------|--|
| <b>TRU LNN 56</b> | <i>Structure/Diffuser</i><br>black/white |
| <b>TRU LWW 56</b> | white/white                              |
| <b>TRU LDD 56</b> | titan grey/white                         |

## PACKAGE

|                   |                                   |
|-------------------|-----------------------------------|
| <b>Package 01</b> | 28x26x20 cm / Gross weight: 8 Kg  |
| <b>Package 02</b> | 22x17x191 cm / Gross weight: 4 Kg |

## Certificazioni

